

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	183	service near3 invocation with web near2 service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:44
L3	6	service near3 invocation with web near2 service with discover\$4 and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:45
L4	14	invocation with web near2 service with discover\$4 and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:47
L5	8	l4 not l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:47
L6	14	invocation near3 message with web near2 service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:49

L7	2	("20040045005").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:51
S1	15	((("5802106") or ("6018516") or ("6038216") or ("6046980") or ("6115357") or ("6205120") or ("6285658") or ("6412000")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 10:58
S2	22	((("5802106") or ("6018516") or ("6038216") or ("6046980") or ("6115357") or ("6205120") or ("6285658") or ("6412000") or ("6456630") or ("7032072") or ("7283468") or ("6591299")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 23:48
S3	3	web\$service same pars\$4 same WSDL and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 23:50
S4	90	pars\$4 same WSDL and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:01
S5	0	pars\$4 same WSDL same traffic same class and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 23:51

S6	1	pars\$4 same WSDL and traffic same class and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 23:51
S7	0	pars\$4 same updat\$4 with WSDL and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 23:54
S8	0	pars\$4 same WSDL same monitor\$4 with (communication or path or "data flow") and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:07
S9	197	pars\$4 same WSDL and monitor\$4 with (communication or path or "data flow") and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:07
S10	1	pars\$4 same WSDL and monitor\$4 with (communication or path or "data flow") and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:08
S11	88	WSDL and monitor\$4 with (communication or path or "data flow") and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:35

S12	1	(determin\$4 or search\$4) with WSDL and monitor\$4 with (communication or path or "data flow") and @ad<="20040217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:09
S13	2	("5822527").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:15
S14	5	("7302480").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:27
S15	9489	(709/224,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:35
S16	0	("115andWSDLand@ad<=20040227").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:36
S17	63	S15 and WSDL and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:36

S18	10	S15 and WSDL same monitor\$4 and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:45
S19	0	(monitor\$4) with web\$service with traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:45
S20	0	(monitor\$4) same web\$service same traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:45
S21	0	web\$service same traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:45
S22	17317	monitor\$4 with traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:46
S23	5511	monitor\$4 with (network or "web service") with traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:48

S24	6	monitor\$4 with ("web service") with traffic and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:46
S25	24	monitor\$4 with (network or "web service") with traffic and WSDL and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 00:48
S26	198	(defin\$4) with ("web service") same WSDL and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:09
S27	11	(defin\$4 and pars\$4) with ("web service") same WSDL and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 14:43
S28	1	(defin\$4 and pars\$4) with ("web service") same WSDL same class and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 14:44
S29	10	(defin\$4 and pars\$4) with ("web service") and WSDL same class and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 14:48

S30	4	(defin\$4 and pars\$4) with ("web service") and WSDL same class and @rlad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:03
S31	0	(defin\$4 and pars\$4) with ("web service") same protocol and WSDL same class and @rlad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:04
S32	1	(defin\$4 and pars\$4) with ("web service") and protocol same WSDL same class and @rlad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:04
S33	0	(defin\$4) with ("web service") same WSDL same monitor\$4 with (flow or request) and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:09
S34	465	(defin\$4) with ("web service") same WSDL and monitor\$4 with (flow or request) and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:09
S35	19	(defin\$4) with ("web service") same WSDL and monitor\$4 with (flow or request) and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:09

S36	0	(identify\$4) with ("web service") same (WSDL) same (multiple or many or several) with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:53
S37	1	(monitor\$4) with (traffic) same WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:53
S38	122	(monitor\$4) with (traffic) and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:54
S39	70	(monitor\$4) with (traffic) and WSDL same protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:54
S40	46	(monitor\$4) with (traffic) and WSDL same protocol and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 15:54
S41	22	(monitor\$4) with network with traffic and WSDL and @ad<="20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/14 11:00



S42	0	WSDL with monitor\$4 with traffic and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:50
S43	0	WSDL same monitor\$4 same traffic and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:51
S44	0	WSDL with monitor\$4 same traffic and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:52
S45	34	(monitor\$4) with network with traffic and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:53
S46	60	updat\$4 same WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:53
S47	0	S46 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:53

S48	15933	(709/217,224,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:55
S49	193	wsdl and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:55
S50	8	wsdl same monitor and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/11 12:55
S51	0	(715/513).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:30
S52	118	identif\$4 with WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:31
S53	1	identif\$4 with WSDL same traffic and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:31

S54	968	(713/153).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:32
S55	4	S54 and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:33
S56	0	traffic with class with WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:36
S57	0	traffic with class same WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:37
S58	0	traffic same class same WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:37
S59	7014	traffic same class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:37

S60	4393	traffic with class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:37
S61	7	traffic with class same ("web service") and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:37
S62	7	traffic with class same ("web service" or WSDL) and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:41
S63	0	S62 not S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:41
S64	441	identif\$4 with traffic with class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:45
S65	1	identif\$4 with traffic with class and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:45

S66	18	(GUI or "user interface") with (select\$4 or choos\$ or chos\$4) with (identifier or ID or identification) near2 service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:47
S67	0	(GUI or "user interface") with (select\$4 or choos\$ or chos\$4) with (identifier or ID or identification) near2 service and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 13:48
S68	149	network adj3 traffic adj3 (class or classification) and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 14:25
S69	0	network adj3 traffic adj3 (class or classification) same ("web service" or wsdl) and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 14:26
S70	1	network adj3 traffic adj3 (class or classification) and ("web service" or wsdl) and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/16 14:26
S71	2	("20050154785").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 15:09

S72	0	transcation with count near3 web near3 service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 15:14
S73	0	transcation with count with web with service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 15:14
S74	2	transcation with count and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 15:15
S75	777	(track\$4) with web with service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 15:16
S76	1136	(track\$4) with web with service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:16
S77	95	(track\$4) with web with service same transaction and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:16

S78	1651	(track\$4) with web with service with transaction and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:16
S79	58	(track\$4) with web with service with transaction and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:16
S80	5	(track\$4) with web with service with transaction and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:17
S81	0	(track\$4 and increment\$4) with web with service with transaction and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19
S82	0	track\$4 with web with service with transaction same increment\$4 and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19
S83	0	track\$4 with web with service with transaction with counter and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19

S84	113	track\$4 with web with service with transaction samecounter and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19
S85	0	track\$4 with web with service with transaction same counter and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19
S86	14	track\$4 with web with service with transaction and counter and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 15:19
S87	505	identifier same traffic same class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:03
S88	179	identifier with traffic with class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:03
S89	0	identifier with traffic with class and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:04



S90	0	identifier with traffic with class same "web service" and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:04
S91	1	identifier with traffic with class and "web service" and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:04
S92	7	(identifier with traffic with class).ab.ti. and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 16:05
S93	35	increment\$4 same counter same GUI and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:05
S94	0	increment\$4 same counter same GUI same web near3 service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:06
S95	0	increment\$4 same counter same GUI same web with service and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:06

S96	2	("20040236848").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:38
S97	578	identifier same (WSDL or "web service") and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:19
S98	44	(select\$4) with identifier same (WSDL or "web service") and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:20
S99	179	identifier with traffic with class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:22
S100	0	identifier with traffic with class same WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:22
S101	250	identifier with traffic with class and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:22

S102	0	identifier with traffic with class and WSDL and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:22
S103	7	(identifier with traffic with class).ab.ti. and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:22
S104	0	(select\$4 with identifier with traffic with class).ab.ti. and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:24
S105	0	(select\$4 same identifier with traffic with class).ab.ti. and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:24
S106	47	(select\$4 same identifier with traffic with class)". and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:25
S107	33	(select\$4 same identifier with traffic with class)and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:25

S108	2	("20030004746").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 12:22
S109	15	invocation near3 message same "web service" and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 12:33
S110	10	invocation with message same "web service" same class and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 12:51
S111	7	S110 not S109	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 12:51
S112	4	discover\$4 with web near2 service same invocation with message and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:07
S113	51	discover\$4 with web near2 service and invocation with message and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:08

S114	4	discover\$4 with web near2 service and invocation with message with class\$4 and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:09
S115	5	discover\$4 with web near2 service and invocation with message same class\$4 and (@ad<="20040227" or @rlad<="20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:10
S116	7	!8not S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:10
S117	4	S115 not S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 13:10

11/26/2008 2:09:55 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10938968\_10788646\_webservice\_classify\_traffic.wsp